The storage and handling of oxidizing agents

This Australian Standard was prepared by Committee CH/9, Safe Handling of Chemicals. It was approved on behalf of the Council of Standards Australia on 13 June 1995 and published on 5 September 1995.

The following interests are represented on Committee CH/9:

Australian Chemical Specialties Manufacturers Association

Australian Conservation Foundation

Australian Council of Trade Unions

Australian Fire Authorities Council

Australian Government Analytical Laboratories

Australian Institute of Petroleum

Australian Paint Manufacturers Federation

Department for Industrial Affairs, S.A.

Department of Defence

Department of Minerals and Energy, W.A.

Environment Protection Authority (New South Wales)

Insurance Council of Australia

Melbourne Water

National Association for Crop Protection and Animal Health

National Occupational Health and Safety Commission

Occupational Health and Safety Authority, Vic.

Plastics and Chemicals Industry Association

Railways of Australia Committee

Tasmania Development and Resources

Work Health Authority, N.T.

WorkCover Authority, N.S.W.

Subcommittees of Committee CH/9

Additional interests participating in preparation of Standard:

Manufacturers, distributors and industrial users of oxidizing agents

Review of Australian Standards. To keep abreast of progress in industry, Australian Standards are subject to periodic review and are kept up to date by the issue of amendments or new editions as necessary. It is important therefore that Standards users ensure that they are in possession of the latest edition, and any amendments thereto.

Full details of all Australian Standards and related publications will be found in the Standards Australia Catalogue of Publications; this information is supplemented each month by the magazine 'The Australian Standard', which subscribing members receive, and which gives details of new publications, new editions and amendments, and of withdrawn Standards.

Suggestions for improvements to Australian Standards, addressed to the head office of Standards Australia, are welcomed. Notification of any inaccuracy or ambiguity found in an Australian Standard should be made without delay in order that the matter may be investigated and appropriate action taken.

This is a free 8 page sample. Access the full version online.

Australian Standard®

The storage and handling of oxidizing agents

AS 4326—1995

PREFACE

This Standard was prepared by the Standards Australia Committee on Safe Handling of Chemicals. Preparation of the Standard was commenced following a request from the Australian Chemical Industry Council for the preparation of a series of Standards on the storage and handling of dangerous goods; subsequently the Competent Authorities of various States and Territories have expressed their intentions of using such standards as Codes of practice. Such Codes of practice may not be mandatory if an occupier can achieve an outcome equal to or better than that specified in the relevant Code of practice.

This Standard deals with Class 5.1 substances, as classified in the ADG Code.

Attention is drawn to those cards of AS 1678, *Emergency procedure guide—Transport* that relate to Class 5.1 substances, such cards being among those having the initial subdesignation digit '5'.

The series of Standards planned, published or being developed, for the storage and handling of dangerous goods presently comprises, in addition to AS 1678 cited above, the following Standards:

AS

- 1596 LP gas—Storage and handling
- 1894 Code of practice for the safe handling of cryogenic fluids
- 1940 The storage and handling of flammable and combustible liquids
- 2022 Anhydrous ammonia—Storage and handling (known as the SAA Anhydrous Ammonia Code)
- 2507 The storage and handling of pesticides
- 2714 The storage and handling of hazardous chemical materials—Class 5.2 substances (organic peroxides)
- 2927 The storage and handling of liquefied chlorine gas
- 2931 Selection and use of emergency procedure guides for the transport of dangerous goods
- 3780 The storage and handling of corrosive substances
- 3961 Liquefied natural gas—Storage and handling
- 4081 The storage, handling and transport of liquid and liquefied polyfunctional isocyanates

The storage and handling of gases in cylinders, to be part of the above series, is in the course of preparation.

The terms 'normative' and 'informative' have been used in this Standard to define the application of appendices to which they apply. A 'normative' appendix is an integral part of a Standard, whereas an 'informative' appendix is for information and guidance only.

Statements expressed in mandatory terms in notes to tables are deemed to be requirements of this Standard.

This is a free 8 page sample. Access the full version online.

CONTENTS

| | I | Page |
|--------|--|------|
| SECTIO | ON 1 SCOPE AND GENERAL | |
| 1.1 | SCOPE | 6 |
| 1.2 | APPLICATION | |
| 1.3 | REFERENCED DOCUMENTS | |
| 1.4 | DEFINITIONS | |
| 1.5 | PACKAGING | - |
| 1.6 | MARKING | |
| 1.7 | SECURITY OF STORAGE AREAS | |
| 1./ | SECURITI OF STORAGE AREAS | 10 |
| SECTIO | ON 2 MINOR STORAGE | |
| 2.1 | SCOPE OF SECTION | 11 |
| 2.2 | CRITERIA FOR CLASSIFICATION AS MINOR STORAGE | 11 |
| 2.3 | REQUIREMENTS APPLICABLE TO MINOR STORAGE | 11 |
| | | |
| SECTIO | ON 3 TRANSIT STORAGE | |
| 3.1 | SCOPE OF SECTION | 13 |
| 3.2 | DELINEATION OF TRANSIT STORAGE AREAS | 13 |
| 3.3 | REQUIREMENTS FOR TRANSIT STORAGE | 13 |
| CECTIC | | |
| | ON 4 STORAGE AND HANDLING OF PACKAGES | 1.5 |
| 4.1 | SCOPE OF SECTION | |
| 4.2 | APPLICATION OF SECTION | |
| 4.3 | TYPES OF PACKAGE STORES | |
| 4.4 | DESIGN AND CONSTRUCTION OF PACKAGE STORES | |
| 4.5 | STORAGE IN STACKS | |
| 4.6 | SEPARATION AND SEGREGATION | |
| 4.7 | STORAGE IN CABINETS | |
| 4.8 | REQUIREMENTS FOR PACKAGE FILLING OPERATIONS | 20 |
| SECTIO | ON 5 BULK STORAGE OF SOLIDS | |
| | SCOPE OF SECTION | 21 |
| 5.2 | DESIGN AND MATERIALS OF CONSTRUCTION OF | |
| | STORAGE BUILDINGS | 21 |
| 5.3 | STORAGE IN SILOS | |
| 5.4 | STORAGE IN BUNKERS | |
| 5.5 | SEPARATION AND SEGREGATION | |
| 5.6 | ATMOSPHERIC CONTROL IN STORES | |
| | | |
| SECTIO | ON 6 STORAGE AND HANDLING OF LIQUIDS IN BULK | |
| 6.1 | SCOPE OF SECTION | 23 |
| 6.2 | APPLICATION OF SECTION | 23 |
| 6.3 | CONTAINER TYPES | 23 |
| 6.4 | DESIGN AND CONSTRUCTION REQUIREMENTS APPLICABLE TO | |
| | ALL BULK CONTAINERS | 23 |

| | I | Page |
|----------|--|------|
| 6.5 | ADDITIONAL REQUIREMENTS FOR PORTABLE | |
| | BULK CONTAINERS | 27 |
| 6.6 | ADDITIONAL REQUIREMENTS FOR FIXED TANKS | 27 |
| 6.7 | ADDITIONAL REQUIREMENTS FOR FIXED TANKS FOR THE BULK | |
| | STORAGE OF HYDROGEN PEROXIDE AND MIXTURES CONTAINING | |
| | HYDROGEN PEROXIDE | 29 |
| 6.8 | CONSIDERATIONS AND ADDITIONAL REQUIREMENTS FOR THE | |
| | BULK STORAGE OF AMMONIUM NITRATE LIQUID, UN NO. 2426 | 33 |
| 6.9 | BUNDS AND COMPOUNDS | |
| 6.10 | LOCATION OF BULK CONTAINERS | |
| | FILLING OF BULK CONTAINERS | |
| 0.11 | | 0, |
| SECTIO | N 7 STORAGE IN INTERMEDIATE BULK CONTAINERS | |
| 7.1 | SCOPE OF SECTION | 41 |
| 7.2 | CONSIDERATIONS SPECIFIC TO IBC STORAGE | 41 |
| an any a | NA OPERATIONAL AND PERSONNEL SAFETY | |
| | ON 8 OPERATIONAL AND PERSONNEL SAFETY | 4.0 |
| 8.1 | SCOPE OF SECTION | |
| 8.2 | GENERAL PRECAUTIONS | |
| 8.3 | MATERIALS HANDLING EQUIPMENT | |
| 8.4 | HOUSEKEEPING | |
| 8.5 | EFFLUENT CONTROL | |
| 8.6 | CONSTRUCTION AND MAINTENANCE WORK | |
| 8.7 | PERSONNEL TRAINING | |
| 8.8 | PERSONAL PROTECTIVE EQUIPMENT | |
| 8.9 | FIRST AID | 48 |
| SECTIO | ON 9 EMERGENCY MANAGEMENT | |
| 9.1 | SCOPE OF SECTION | 10 |
| 9.2 | PLANNING FOR EMERGENCIES | |
| 9.2 | MANIFEST | |
| | | |
| 9.4 | PLACARDING MANAGEMENT OF LEAKS AND SPILLS | |
| 9.5 | MANAGEMENT OF LEAKS AND SPILLS | 31 |
| SECTIO | ON 10 FIRE PROTECTION | |
| 10.1 | SCOPE OF SECTION | 52 |
| 10.2 | APPLICATION | 52 |
| | GENERAL CONSIDERATIONS | |
| | FIRE EXTINGUISHERS | |
| | HOSE REELS | _ |
| 10.5 | FIRE HYDRANTS | |
| 10.7 | FIRE PROTECTION MEASURES | |
| 10.7 | SPECIAL REQUIREMENTS FOR UN NOS 1745, 1746, | 55 |
| 10.0 | 2466, 2495 AND 2547 | 56 |
| 10.0 | ACTION IN THE EVENT OF A FIRE | |
| 10.9 | ACTION IN THE EVENT OF A FIRE | 20 |

| | Pa | ige | | |
|------------|--|-----|--|--|
| SECTION 1 | 11 WASTE STORAGE AND DISPOSAL | | | |
| 11.1 SC | COPE OF SECTION | 57 | | |
| 11.2 ST | TORAGE OF WASTES | 57 | | |
| 11.3 IT | EMS FOR DISPOSAL | 57 | | |
| 11.4 PF | RE-DISPOSAL TREATMENT OF EMPTY CONTAINERS | 57 | | |
| 11.5 M | ETHODS OF DISPOSAL | 57 | | |
| APPENDICES | | | | |
| A HAZ | ZARDS PRESENTED BY OXIDIZING AGENTS | 59 | | |
| B LIST | Γ OF REFERENCED DOCUMENTS | 60 | | |
| C BIB | LIOGRAPHY OF DOCUMENTS PROVIDING GUIDELINES ON THE | | | |
| PRE | PARATION OF EMERGENCY PLANS | 63 | | |

First published as AS 4326—1995. Incorporating: Amdt 1—1999

© Copyright — STANDARDS AUSTRALIA

Users of Standards are reminded that copyright subsists in all Standards Australia publications and software. Except where the Copyright Act allows and except where provided for below no publications or software produced by Standards Australia may be reproduced, stored in a retrieval system in any form or transmitted by any means without prior permission in writing from Standards Australia. Permission may be conditional on an appropriate royalty payment. Requests for permission and information on commercial software royalties should be directed to the head office of Standards Australia.

Standards Australia will permit up to 10 percent of the technical content pages of a Standard to be copied for use exclusively in-house by purchasers of the Standard without payment of a royalty or advice to Standards Australia.

Standards Australia will also permit the inclusion of its copyright material in computer software programs for no royalty payment provided such programs are used exclusively in-house by the creators of the programs.

Care should be taken to ensure that material used is from the current edition of the Standard and that it is updated whenever the Standard is amended or revised. The number and date of the Standard should therefore be clearly identified.

The use of material in print form or in computer software programs to be used commercially, with or without payment, or in commercial contracts is subject to the payment of a royalty. This policy may be varied by Standards Australia at any time.

AS 4326—1995

STANDARDS AUSTRALIA

Australian Standard

The storage and handling of oxidizing agents

SECTION 1 SCOPE AND GENERAL

1.1 SCOPE This Standard sets out requirements and recommendations for the safe storage and handling of oxidizing agents, i.e. substances that meet the Class 5.1 classification criteria of the ADG Code.

This Standard also applies to other dangerous goods that are assigned a Class 5.1 subsidiary risk by the ADG Code, except where they are of Class 2 or where more stringent requirements apply under another relevant Australia Standard or applicable regulation.

This Standard applies in locations that are generally industrial, commercial or rural in nature, including laboratories where the provisions of this Standard are additional to those of AS 2243.10. Where there is conflict between the requirements of this Standard and those of AS 2243.10, this Standard shall take precedence.

The Standard does not apply to—

- (a) gases having a Class 5.1 Subsidiary Risk, e.g. oxygen, chlorine, nitrous oxide;
- (b) the transport of oxidizing agents, which is dealt with in the ADG Code; or
- (c) emulsions and slurries based on ammonium nitrate and fuels with or without other oxidizing agents, cross-linkers, pH buffers and water. (These mixtures are widely used in the explosives industry but do not meet the criteria for Class 1 dangerous goods. Examples of these are UN Nos. 1479 and 3139.)

NOTE: A discussion of the hazards presented by oxidizing agents is provided in Appendix A.

1.2 APPLICATION The requirements of the Standard apply in conjunction with, but do not take precedence over, any government regulations that apply in any area. Where it is found that compliance with the requirements of this Standard is not possible, it is necessary to seek the advice of the relevant regulatory authority.

NOTES:

- 1 An installation may come under the regulatory control of several authorities having differing areas of responsibility, and an approval from one authority does not necessarily constitute an approval from others.
- 2 Cognizance of the relevant requirements of the *Building Code of Australia* (BCA) is necessary for all matters relating to building works.
- 3 The transfer of oxidizing agents between a ship and an onshore storage is controlled by the relevant port authority.

For minor storage of oxidizing agents (as defined in Clause 1.4.17), only Sections 1, 2 and 11 of this Standard apply. Sections 8, 9 and 10 of this Standard deal with safety matters that may be pertinent to minor storage but which, for the purposes of such, may be regarded as advisory.

For transit storage of oxidizing agents (as defined in Clause 1.4.35), only Sections 1, 3, 8, 9 and 11 apply.



The remainder of this document is available for purchase online at

www.saiglobal.com/shop



















