This is a free 6 page sample. Access the full version online.

Australian/New Zealand Standard™

Polyethylene storage tanks for water and chemicals





This Joint Australian/New Zealand Standard was prepared by Joint Technical Committee PL-046, Polyethylene Storage Tanks. It was approved on behalf of the Council of Standards Australia on 7 June 2006 and on behalf of the Council of Standards New Zealand on 16 June 2006.

This Standard was published on 6 July 2006.

The following are represented on Committee PL-046:

Association of Rotational Moulders (Australasia) Australian Industry Group Institute of Materials Engineering Australasia Water Services Association of Australia

Keeping Standards up-to-date

Standards are living documents which reflect progress in science, technology and systems. To maintain their currency, all Standards are periodically reviewed, and new editions are published. Between editions, amendments may be issued. Standards may also be withdrawn. It is important that readers assure themselves they are using a current Standard, which should include any amendments which may have been published since the Standard was purchased.

Detailed information about joint Australian/New Zealand Standards can be found by visiting the Standards Web Shop at www.standards.com.au or Standards New Zealand web site at www.standards.co.nz and looking up the relevant Standard in the on-line catalogue.

Alternatively, both organizations publish an annual printed Catalogue with full details of all current Standards. For more frequent listings or notification of revisions, amendments and withdrawals, Standards Australia and Standards New Zealand offer a number of update options. For information about these services, users should contact their respective national Standards organization.

We also welcome suggestions for improvement in our Standards, and especially encourage readers to notify us immediately of any apparent inaccuracies or ambiguities. Please address your comments to the Chief Executive of either Standards Australia or Standards New Zealand at the address shown on the back cover.

Australian/New Zealand Standard™

Polyethylene storage tanks for water and chemicals

Originated as AS/NZS 4766(Int):2002. Revised and redesignated as AS/NZS 4766:2006.

COPYRIGHT

© Standards Australia/Standards New Zealand

All rights are reserved. No part of this work may be reproduced or copied in any form or by any means, electronic or mechanical, including photocopying, without the written permission of the publisher.

Jointly published by Standards Australia, GPO Box 476, Sydney, NSW 2001 and Standards New Zealand, Private Bag 2439, Wellington 6020

ISBN 0 7337 7606 X

PREFACE

This Standard was prepared by the Joint Standards Australia/Standards New Zealand Committee PL-046, Polyethylene Storage Tanks.

The design of a tank, its fittings and accessories should consider long-term fitness for purpose including service environment and decrease in physical properties of the material due to environmental effects.

The terms 'normative' and 'informative' have been used in this Standard to define the application of the Appendix to which they apply. A 'normative' appendix is an integral part of a Standard, whereas an 'informative' appendix is only for information and guidance.

Statements expressed in mandatory terms in Notes to Tables and Figures are deemed to be requirements of this Standard. Notes to text are for information and guidance only.

CONTENTS

	Pag	ŗе
1	SCOPE AND LIMITATIONS	4
2	OBJECTIVE	4
3	REFERENCED DOCUMENTS	5
4	DEFINITIONS	6
5	MATERIALS	6
6	DESIGN	9
7	DIMENSIONS AND TOLERANCES	1
8	TANK CAPACITY	1
9	FITTINGS1	1
10	ROTATIONAL MOULDING PROCESS EVALUATION 1	2
11	WORKMANSHIP1	2
12	HANDLING, STORAGE AND PACKING1	2
13	INSTALLATION1	3
14	MARKING REQUIREMENTS	3
APPEN	DICES	
A	MEANS OF DEMONSTRATING COMPLIANCE WITH THIS STANDARD 1	
В	THERMAL STABILITY TEST 1	
C	LIGHT TRANSMISSION TEST	0
D	LOW TEMPERATURE IMPACT TEST	4

STANDARDS AUSTRALIA/STANDARDS NEW ZEALAND

Australian/New Zealand Standard Polyethylene storage tanks for water and chemicals

1 SCOPE AND LIMITATIONS

1.1 Scope

This Standard specifies requirements for the design and manufacture of polyethylene storage tanks that are rotationally moulded in one-piece seamless construction. The tanks are for non-buried, vertical installation and capable of containing water, liquids used in food and beverage manufacture and chemical solutions at atmospheric pressure.

Separation of the roof (lid) from the body of the tank, after moulding, is permitted for transport purposes, provided that—

- (a) the structural integrity of the tank is not adversely affected after the roof has been refitted by the manufacturer or its nominated representative in the manner prescribed by the design engineer; and
- (b) the prevention of insect and/or vermin ingress is maintained.

Methods for demonstrating compliance with this standard are given in Appendix A.

1.2 Limitations

This Standard does not provide design criteria for—

- (a) liquid contents heated above their flash points;
- (b) liquid contents with service temperatures above—
 - (i) 40° C; or
 - (ii) the rated service temperature of the tank material.
- (c) superimposed pressure exceeding 0.25 m head of water, or 2.5 kPa above the maximum recommended fill level; and
- (d) superimposed mechanical forces, such as seismic forces, wind load or agitation.

Where criteria in Items (a) to (d) apply, special design consideration shall be given.

A tank shall have provision for overflow of contents.

The tank material supplier shall be consulted where the anticipated service temperature of the liquid stored within the tank exceeds 40°C.

Tank design analysis and independent verification shall be performed by qualified professional engineer(s) as defined in Clause 4.3. Material data used as a basis for the design may include 'hydrostatic design stress data' and/or 'creep and creep rupture data'.

This Standard does not apply to portable tanks for the transport of liquids.

2 OBJECTIVE

The objective of this Standard is to—

- (a) ensure secure storage of water and other liquids or chemicals (see Clause 1.1);
- (b) ensure performance and workmanship of the finished tank is adequate for the intended application;



The remainder of this document is available for purchase online at

www.saiglobal.com/shop



















