This is a free 7 page sample. Access the full version online.

Australian/New Zealand Standard™

Buried flexible pipelines

Part 2: Installation





AS/NZS 2566.2:2002

This Joint Australian/New Zealand Standard was prepared by Joint Technical Committee WS-028, Design and Installation of Buried Flexible Pipes. It was approved on behalf of the Council of Standards Australia on 25 June 2002 and on behalf of the Council of Standards New Zealand on 27 June 2002. It was published on 12 August 2002.

The following are represented on Committee WS-028:

AusPoly
Australasian Railway Association
Australian Chamber of Commerce and Industry
Australian Industry Group
AUSTROADS
Composites Institute of Australia
Concrete Pipe Association of Australasia
Department of Land and Water Conservation, NSW
Institution of Engineers Australia
PVC pipeline industry association
Plastics New Zealand
Stormwater Industry Association
Water Services Association of Australia

Keeping Standards up-to-date

Standards are living documents which reflect progress in science, technology and systems. To maintain their currency, all Standards are periodically reviewed, and new editions are published. Between editions, amendments may be issued. Standards may also be withdrawn. It is important that readers assure themselves they are using a current Standard, which should include any amendments which may have been published since the Standard was purchased.

Detailed information about joint Australian/New Zealand Standards can be found by visiting the Standards Australia web site at www.standards.com.au or Standards New Zealand web site at www.standards.co.nz and looking up the relevant Standard in the on-line catalogue.

Alternatively, both organizations publish an annual printed Catalogue with full details of all current Standards. For more frequent listings or notification of revisions, amendments and withdrawals, Standards Australia and Standards New Zealand offer a number of update options. For information about these services, users should contact their respective national Standards organization.

We also welcome suggestions for improvement in our Standards, and especially encourage readers to notify us immediately of any apparent inaccuracies or ambiguities. Please address your comments to the Chief Executive of either Standards Australia International or Standards New Zealand at the address shown on the back cover.

Australian/New Zealand Standard™

Buried flexible pipelines

Part 2: Installation

First published as AS/NZS 2566.2:2002.

COPYRIGHT

© Standards Australia/Standards New Zealand

All rights are reserved. No part of this work may be reproduced or copied in any form or by any means, electronic or mechanical, including photocopying, without the written permission of the publisher.

Jointly published by Standards Australia International Ltd, GPO Box 5420, Sydney, NSW 2001 and Standards New Zealand, Private Bag 2439, Wellington 6020

This is a free 7 page sample. Access the full version online.

PREFACE

This Standard was prepared by the Joint Standards Australia/Standards New Zealand Committee WS-028—Design and Installation of Buried Flexible Pipes.

This Standard is Part 2 of AS/NZS 2566 Buried flexible pipelines. The Parts are as follows:

Part 1: Structural design.

Part 1: Structural design - Commentary

Part 2: Installation (this Standard).

The objective of this Standard is to provide designers and installers with uniform procedures for the installation of buried flexible pipelines.

The terms 'normative' and 'informative' have been used to define the application of the Appendix to which they apply. A 'normative' appendix is an integral part of the Standard, whereas an 'informative' appendix is for information and guidance only.

Statements expressed in mandatory terms in notes to figures and tables are deemed to be requirements of the Standard. All other notes are for information and guidance only.

Informative appendices and notes, except as mentioned above, use the word 'should' (implying for information and guidance only), whereas normative appendices, clauses, figures and tables use the word 'shall' (implying a mandatory requirement).

Where the term 'specified' has been used, but no reference given to where the requirement is to be found, the requirement is expected to be stated or referred to in other project documentation.

This is a free 7 page sample. Access the full version online.

CONTENTS

		Page
SECTION	ON 1 SCOPE AND GENERAL	
1.1	SCOPE	5
1.2	REFERENCED DOCUMENTS	
1.3	APPLICATION	
1.4	DEFINITIONS	
1.5	NOTATION	
1.6	WORK METHOD STATEMENT	
1.7	ASSET PROTECTION	
SECTION	ON 2 TRANSPORTATION, HANDLING AND STORAGE	
2.1	SCOPE	12
2.2	TRANSPORTATION	
2.3	HANDLING	
2.4	ON-SITE STORAGE	
CE CEL	ON A DUDE! THE COMPONENTS A COEPT ANCE OF THE DA	
-	ON 3 PIPELINE COMPONENTS ACCEPTANCE CRITERIA SCOPE	1.4
3.1	ACCEPTANCE CRITERIA	
3.2 3.3	ACCEPTANCE CRITERIA	
3.3		
SECTION	ON 4 EXCAVATION	
4.1	SCOPE	
4.2	PRIOR TO COMENCEMENT	
4.3	EXCAVATION METHOD	
4.4	EMBEDMENT ZONE GEOMETRY	17
SECTION	ON 5 INSTALLATION	
5.1	SCOPE	19
5.2	LAYING	
5.3	FOUNDATION	
5.4	EMBEDMENT ZONE	
5.5	FILL ZONE	
5.6	COMPACTION	
5.7	DEFLECTION CRITERIA	
5.8	ALTERNATIVE EMBEDMENT MATERIAL FOR PIPE RESTRAINT	
CECTI		
	ON 6 FIELD TESTING	2.5
6.1	SCOPE	
6.2	PURPOSE	
6.3	PRESSURE PIPELINES—HYDROSTATIC PRESSURE TESTING	
6.4	NON-PRESSURE PIPELINES—LEAKAGE TESTING	
6.5	DEFLECTION TESTING	41
SECTION	ON 7 COMMISSIONING	
7.1	GENERAL	42
7.2	CLEANING WATER SUPPLY PIPELINES	42
7.3	DISINFECTION OF DRINKING WATER SUPPLY PIPELINES	42

APPENI	DICES	
A	LIST OF REFERENCED DOCUMENTS	43
В	INSTALLATION AND RELATED MANUFACTURING STANDARDS	46
C	GUIDE TO THE INSTALLATION PROCESS	47
D	WORK METHOD STATEMENT	49
E	ASSET PROTECTION	50
F	METHODS OF JOINTING	51
G	EMBEDMENT MATERIALS—PARTICLE SIZE AND GRADING LIMITS	55
Н	EMBEDMENT AND FILL MATERIALS—COMPACTION	58
I	PREVENTION OF EMBEDMENT ZONE SOIL PARTICLE MIGRATION	61
J	SPECIFICATION FOR GEOTEXTILE FILTER FABRIC	
K	CONTROLLED LOW STRENGTH MATERIALS—CLSM	63
L	STABILIZED SOILS AND AGGREGATES	
M	FIELD HYDROSTATIC TESTING FOR PRESSURE PIPELINES	70
N	LEAKAGE TESTING FOR NON-PRESSURE PIPELINES	81
O	DIAMETRAL DEFLECTION MEASUREMENT	84

STANDARDS AUSTRALIA/STANDARDS NEW ZEALAND

Australian/New Zealand Standard Buried flexible pipelines

Part 2: Installation

SECTION 1 SCOPE AND GENERAL

1.1 SCOPE

This Standard specifies requirements for the installation, field testing and commissioning of buried flexible pipelines with structural design in accordance with AS/NZS 2566.1. These pipelines rely primarily upon side support to resist vertical loads without excessive deformation by adopting an elliptical shape.

NOTE: Australian and New Zealand Standards generally do not-

- (a) restate the duties of employers, employees, designers and installers;
- (b) determine the applicability of regulatory limitations; or
- (c) determine appropriate health and safety practices.

1.2 REFERENCED DOCUMENTS

The documents referred to in this Standard are listed in Appendix A.

1.3 APPLICATION

1.3.1 Applicable installations

This Standard applies to flexible pipes conveying water, wastewater, stormwater or slurry, for both pressure and non-pressure applications, or for flexible pipes serving as conduits for the later installation of cables or pipes.

This Standard is applicable to flexible pipes that are manufactured from the materials listed in Table 1.1, and that are—

- (a) homogeneous or composite;
- (b) creep affected (plastics) or unaffected (metallic); or
- (c) plain or structured wall.

Provided suitable data can be obtained, this Standard may be used for pipelines whose pipe materials are not given in Table 1.1 and where open cut excavation techniques are used.

NOTES:

- 1 Australian and New Zealand installation standards specific to different flexible pipe materials and their related manufacturing Standards are given in Appendix B.
- 2 Guidance, in the form of flow charts, to the installation process is given in Appendix C.



The remainder of this document is available for purchase online at

www.saiglobal.com/shop



















