Electrical installations – Patient areas of hospitals, medical and dental practices and dialyzing locations





#### PREPARATION OF JOINT AUSTRALIAN/NEW ZEALAND STANDARDS

Joint Australian/New Zealand Standards are prepared by a consensus process involving representatives nominated by organizations in both countries drawn form all major interests associated with the subject. Australian/New Zealand standards may be derived from existing industry Standards, from established international Standards and practices or may be developed within a Standards Australia, Standards New Zealand or joint technical committee.

During the development process, Australian/New Zealand Standards are made available in draft form at all sales offices, via both Standards Australia's and Standards New Zealand's websites, and through affiliated overseas bodies in order that all interests concerned with the application of a proposed Standard are given the opportunity to submit views on the requirements to be included.

The following are represented on the committee responsible for this Australian/New Zealand Standard:

Association of Consulting Engineers, Australia

Auckland District Health Board

Australian Chamber of Commerce and Industry

Australian Dental Association

Australian Electrical and Electronic Manufacturers Association

Australian Federation for Medical and Biological Engineering

Australian Nursing Federation

Australian Private Hospitals Association

Australian Society of Anaesthetists

Biomedical Engineering Advisory Group SA

Canterbury District Health Board, NZ

College of Biomedical Engineering Institution of Engineers Australia

Department of Public Works and Services NSW

Electricity Supply Association of Australia

Health Department, WA

Institute of Hospital Engineering (Australia)

Medical Industry Association of Australia

Ministry of Commerce, NZ

National Electrical Contractors Association of Australia

NSW Health Department

Royal Australasian College of Physicians

South Australian Health Commission

The New Zealand Institute of Health Estate and Engineering Management

The Office of the Chief Electrical Inspector, Victoria

# Keeping Standards up-to-date

Standards are living documents which reflect progress in science, technology and systems.

To maintain their currency, all Standards are periodically reviewed, and new editions are published. Between editions, amendments may be issued. Standards may also be withdrawn. It is important that readers assure themselves that they are using a current Standard, which should include any amendments which may have been published since the Standard was purchased.

Detailed information about Joint Australian/New Zealand Standards can be found by visiting the Standards New Zealand website at www.standards.com.au and looking up the relavant Standard in the on-line catalogue. Alternatively, both organizations publish an annual printed Catalogue with full details of all current Standards. For more frequent listings or notification of revisions, amendments and withdrawals, Standards New Zealand and Standards Australia offer a number of update options. For information about these services, users should contact their respective national Standards organization.

We also welcome suggestions for improvements in our Standards, and especially encourage readers to notify us immediately of any apparent inaccuracies or ambiguities. Please address your comments to the Chief Executive of either Standards New Zealand or Standards Australia International at the address shown on the title page.

# Australian/New Zealand Standard™

Electrical installations – Patient areas of hospitals, medical and dental practices and dialyzing locations

### **COPYRIGHT**

© Standards Australia/Standards New Zealand

All rights are reserved. No part of this work may be reproduced or copied in any form or by any means, electronic or mechanical, including photocopying, without the written permission of the publisher.

Jointly published by Standards Australia International Ltd, GPO Box 5420, Sydney, NSW 2001 and Standards New Zealand, Private Bag 2439, Wellington 6020.

#### **PREFACE**

This Standard was prepared by the Joint Standards Australia/Standards New Zealand Committee HT/21, Wiring of Medical Treatment Areas in Hospitals to supersede AS/NZS 3003:1999. It was approved by the Council of Standards Australia on 30 May 2003 and on behalf of the Council of Standards New Zealand on 15 May 2003. It was published on 30 June 2003.

It specifies special requirements for electrical installations in PATIENT AREAS of hospitals, medical and dental practices and dialyzing locations. These requirements are additional to those specified in AS/NZS 3000 and the New Zealand Electricity Regulations.

Advice on whether particular PATIENT AREAS should be wired as BODY-PROTECTED or CARDIAC-PROTECTED ELECTRICAL AREAS is set out in AS/NZS 2500, *Guide to the safe use of electricity in patient care*. The governing body or proprietor of the health care facility should refer to the safe practice code in AS/NZS 2500 for advice on how these decisions should be based on the type of procedures undertaken in each area and the level of protection afforded in the MEDICAL ELECTRICAL EQUIPMENT available for these procedures.

This Standard is intended to apply only to installations (or alterations or additions thereto) made or carried out after the date on which the Standard is published. However, it is strongly recommended that hospital management carefully evaluates the procedures undertaken within existing installations and take steps to implement the appropriate electrical safety requirements specified herein for areas that are used for CARDIAC-TYPE PROCEDURES or for procedures involving the regular use of MEDICAL ELECTRICAL EQUIPMENT.

While this Standard is intended to apply to new installations or extensions, some guidance is given concerning conversion of older installations.

Major changes in the 2003 edition include the following:

- All patient areas are required to be BODY-PROTECTED or CARDIAC-PROTECTED ELECTRICAL AREAS (refer 2.1);
- Colour coding requirements are included for normal 10, 15 and 20 A socket-outlets (refer 2.6.3.2);
- Minimum lettering sizes are specified for some marking requirements (refer 2.10.1);
- This edition emphasizes that decisions about which PATIENT AREAS should be wired as CARDIAC-PROTECTED ELECTRICAL AREAS must be made by the governing body or the proprietor of the institution and based on clinical advice (refer 1.1);
- "0.01 Ω EP earthing systems" as specified in the 1974 and 1985 editions, and as one of the options in the 1999 edition, are no longer specified for new CARDIAC-PROTECTED ELECTRICAL AREAS. However, alterations to existing CARDIAC-PROTECTED ELECTRICAL AREAS with "0.01 Ω EP earthing systems" must be made using the same type of EP earthing system (refer 4.4.2.1 and Appendix I).

The layout of this Standard has been changed from the 1999 edition as follows:

- Requirements that are common to BODY-PROTECTED and CARDIAC-PROTECTED ELECTRICAL AREAS are set out in Section 2 General requirements for BODY-PROTECTED and CARDIAC-PROTECTED ELECTRICAL AREAS.
- Requirements that only relate to BODY-PROTECTED ELECTRICAL AREAS are set out in Section 3 Additional requirements for BODY-PROTECTED ELECTRICAL AREAS.
- Requirements that only relate to CARDIAC-PROTECTED ELECTRICAL AREAS are set out in Section 4 Additional requirements for CARDIAC-PROTECTED ELECTRICAL AREAS.

The terms 'normative' and 'informative' are used in this Standard to define the application of the appendix to which they apply. A 'normative' appendix is an integral part of the standard whereas an 'informative' appendix is only for information and guidance.

Users of Standards are reminded that copyright subsists in all Standards Australia and Standards New Zealand publications and software. Except where the Copyright Act allows and except where provided for below no publications or software produced by Standards Australia or Standards New Zealand may be reproduced, stored in a retrieval system in any form or transmitted by any means without prior permission in writing from Standards Australia or Standards New Zealand. Permission may be conditional on an appropriate royalty payment. Australian requests for permission and information on commercial software royalties should be directed to the head office of Standards Australia. New Zealand requests should be directed to Standards New Zealand.

Up to 10 per cent of the technical content pages of a Standard may be copied for use exclusively inhouse by purchasers of the Standard without payment of a royalty or advice to Standards Australia or Standards New Zealand.

Inclusion of copyright material in computer software programs is also permitted without royalty payment provided such programs are used exclusively in-house by the creators of the programs.

Care should be taken to ensure that material used is from the current edition of the Standard and that it is updated whenever the standard is amended or revised. The number and date of the standard should therefore be clearly identified.

The use of material in print form or in computer software programs to be used commercially, with or without payment, or in commercial contracts is subject to the payment of a royalty. This policy may be varied by Standards Australia or Standards New Zealand at any time.

# This is a free 9 page sample. Access the full version online.

# **CONTENTS**

	Pa	age		
Preface2				
SE	CTION			
1	SCOPE AND GENERAL  1.1 Scope  1.2 Application  1.3 Referenced documents  1.4 Definitions	7 7 8		
2	General requirements for BODY-PROTECTED and CARDIAC-PROTECTED ELECTRICAL AREAS 12.1 General 12.2 Supply of electricity to PATIENT AREAS — New Zealand only 12.3 Low-voltage a.c. supplies 12.4 Low-voltage d.c. supplies 12.5 Access to controls and indicators 12.6 Low-voltage socket-outlets 12.7 Residual current devices (RCDs) 12.8 Low-voltage isolated supplies 12.9 Isolation switches 12.10 Marking 12.11 Commissioning 12.12 Inspection and documentation — New Zealand only 12.12 Inspection and documentation — New Zealand only 13.12 Inspection and documentation — New Zealand only 14.12 Inspection and documentation — New Zealand only 15.12 Inspection and In	15 15 17 18 18 19 21 22 23		
3	Additional requirements for BODY-PROTECTED ELECTRICAL AREAS	24 24		
4	Additional requirements for CARDIAC-PROTECTED ELECTRICAL AREAS 2 4.1 General 2 4.2 Extra-low-voltage supplies 2 4.3 Disposition of points controlled by RCDs 2 4.4 Earthing and EQUIPOTENTIAL bonding 2	25 25 25		
AP	PENDIX			
A B C D E F G H I J	Rationale for the requirements of this Standard (Informative)  Planning of areas (Informative)  Marking of PATIENT AREAS (Normative)  Commissioning for PATIENT AREAS (Informative)  Sample recording forms (Informative)  Measures for avoiding interference from magnetic fields (Informative)  Method for measuring magnetic fields (Informative)  Instrument for measuring potential differences in an installation (Informative)  Calculations for EQUIPOTENTIAL earthing (Informative)  Alterations to EQUIPOTENTIAL earthing systems in existing installations (Normative)	40 42 43 50 54 55 57		

# **TABLE**

B1	Comparison of supply wiring systems	40		
I1	Maximum length of earthing conductors to give 0.1 $\Omega$ resistance	60		
FIG	FIGURE			
1	Marking of APPLIED PARTS OF MEDICAL ELECTRICAL EQUIPMENT			
2	PATIENT ENVIRONMENT			
3	UPS with earth-free output provided with LINE ISOLATION MONITOR and OVERLOAD MONITOR			
4	UPS with internally earthed output protected by RCD	17		
5	UPS with internally earthed output protected by LINE ISOLATION MONITOR and			
	OVERLOAD MONITOR	17		
6	Example of RETURN EARTHS in a CARDIAC-PROTECTED ELECTRICAL AREA supplied from			
	multiple switchboards	30		
7	Example of 0.1 ohm EQUIPOTENTIAL earthing system	31		
8	Use of individual and shared earthing conductors in a CARDIAC-PROTECTED ELECTRICAL AREA	32		
9	Earthing of metal wiring enclosures in a CARDIAC-PROTECTED ELECTRICAL AREA	33		
10	Earthing of metal ceiling pendants in a CARDIAC-PROTECTED ELECTRICAL AREA	34		
C1	Sign for BODY-PROTECTED ELECTRICAL AREA	42		
C2	Sign for Cardiac-Protected electrical area	42		
G1	Technical data of the coil for 50 Hz	56		
H1	Frequency response characteristic of measuring instrument	57		
H2	Typical measuring instrument			
	Alterations to EQUIPOTENTIAL earthing systems in existing installations			
	Example of PATIENT ENVIRONMENT with 0.01 Ω EQUIPOTENTIAL earthing system			

# NOTES

## STANDARDS AUSTRALIA/STANDARDS NEW ZEALAND

# Australian/New Zealand Standard

# Electrical installations – Patient areas of hospitals, medical and dental practices and dialyzing locations

#### 1 SCOPE AND GENERAL

# 1.1 Scope

This Standard sets out requirements for electrical installations in PATIENT AREAS of hospitals, medical and dental practices, and dialyzing locations.

Areas other than PATIENT AREAS are not covered by this Standard, but are covered by the relevant requirements of AS/NZS 3000.

#### NOTES -

- (1) Attention is drawn to AS/NZS 2500, which outlines the procedure for determining where CARDIAC-PROTECTED ELECTRICAL AREAS are required. These decisions are made by the governing body or proprietor of the health care facility, based on the classification of the medical procedures undertaken in each area and the protection against electric shock provided in the MEDICAL ELECTRICAL EQUIPMENT available for these procedures.
- (2) A rationale for the requirements of this Standard is given in Appendix A.
- (3) Requirements for mobile trolleys supporting electrical equipment are given in AS/NZS 3200.1.1 and AS/NZS 4510.
- (4) Requirements for emergency lighting are given in AS/NZS 2293.1.
- (5) Requirements for emergency power systems in hospitals are given in AS/NZS 3009.

# 1.2 Application

Electrical installations in PATIENT AREAS shall be carried out in accordance with AS/NZS 3000 and additionally with the Electricity Regulations in New Zealand, as varied by this Standard.

This Standard applies to installations (or alterations or additions thereto) carried out after the date of its publication.

NOTE – Although AS/NZS 3003:1999 provided for various types of EQUIPOTENTIAL earthing systems in CARDIAC-PROTECTED ELECTRICAL AREAS, this edition only specifies one arrangement for new installations (refer 4.4.2). This arrangement is consistent with the requirements for "0.1  $\Omega$  EP earthing systems" in the 1999 edition. However for alterations to existing areas, the requirements in this Standard depend on what type of EQUIPOTENTIAL earthing system was used in the original installation – refer 4.4.2.1.



The remainder of this document is available for purchase online at

www.saiglobal.com/shop



















