

Australian/New Zealand Standard™

Approval and test specification—Plugs and socket-outlets



AS/NZS 3112:2004

This Joint Australian/New Zealand Standard was prepared by Joint Technical Committee EL-004, Electrical Accessories. It was approved on behalf of the Council of Standards Australia on 24 November 2004 and on behalf of the Council of Standards New Zealand on 3 December 2004.
This Standard was published on 21 December 2004.

The following are represented on Committee EL-004:

Australasian Railway Association
Australian Chamber of Commerce and Industry
Australian Electrical and Electronic Manufacturers Association
Canterbury Manufacturers Association, New Zealand
Consumer Electronic Suppliers Association
Consumers' Federation of Australia
Electrical Regulatory Authorities Council
Ministry of Economic Development (New Zealand)
National Electrical and Communications Association
Plastics Industry Pipe Association of Australia
Telarc New Zealand
Testing Interests (Australia)

Keeping Standards up-to-date

Standards are living documents which reflect progress in science, technology and systems. To maintain their currency, all Standards are periodically reviewed, and new editions are published. Between editions, amendments may be issued. Standards may also be withdrawn. It is important that readers assure themselves they are using a current Standard, which should include any amendments which may have been published since the Standard was purchased.

Detailed information about joint Australian/New Zealand Standards can be found by visiting the Standards Web Shop at www.standards.com.au or Standards New Zealand web site at www.standards.co.nz and looking up the relevant Standard in the on-line catalogue.

Alternatively, both organizations publish an annual printed Catalogue with full details of all current Standards. For more frequent listings or notification of revisions, amendments and withdrawals, Standards Australia and Standards New Zealand offer a number of update options. For information about these services, users should contact their respective national Standards organization.

We also welcome suggestions for improvement in our Standards, and especially encourage readers to notify us immediately of any apparent inaccuracies or ambiguities. Please address your comments to the Chief Executive of either Standards Australia or Standards New Zealand at the address shown on the back cover.

This Standard was issued in draft form for comment as DR 04375.

Australian/New Zealand Standard™

Approval and test specification—Plugs and socket-outlets

Originated in Australia as C112—1937.
Originated in New Zealand as part of NZSS 198—1939.
Previous edition AS/NZS 3112:2000.
Sixth edition 2004.
Reissued incorporating Amendment No. 1 (October 2006).

COPYRIGHT

© Standards Australia/Standards New Zealand

All rights are reserved. No part of this work may be reproduced or copied in any form or by any means, electronic or mechanical, including photocopying, without the written permission of the publisher.

Jointly published by Standards Australia, GPO Box 476, Sydney, NSW 2001 and Standards New Zealand, Private Bag 2439, Wellington 6020

ISBN 0 7337 6418 5

PREFACE

This Standard was prepared by the Joint Standards Australia/Standards New Zealand Committee EL-004, *Electrical Accessories* to supersede AS/NZS 3112:2000 on publication.

This Standard incorporates Amendment No. 1 (October 2006). The changes required by the Amendment are indicated in the text by a marginal bar and amendment number against the clause, note, table, figure or part thereof affected.

The objective of this Standard is to provide the Australian and New Zealand electrical industry including manufacturers, test laboratories and regulators with requirements and test methods for plugs and socket-outlets.

This Standard is one of a series of approval and test specifications to be read in conjunction with AS/NZS 3100, *Approval and test specification—General requirements for electrical equipment*. The purpose of this series is to outline conditions which must be met to secure approval for the sale and use of electrical equipment. Only safety matters and related conditions are covered.

The essential safety requirements in AS/NZS 3820 that could be applicable to plugs and socket-outlets are covered by this Standard taken in conjunction with any other relevant requirements affecting safety.

This Standard was revised to introduce the following technical and editorial changes:

- (a) Amendments 1 and 2 to AS/NZS 3112:2000 have been incorporated into the text.
- (b) Requirements for the shape of the ends of plug pins.
- (c) Pin bending test.
- (d) Changes to fire test requirements.
- (e) Requirements with regards to any interference between metal contacts and thermoplastic or resilient mouldings.
- (f) Lateral strain test for two pin plugs.
- (g) Updating of cross-references to referred Standards and other minor editorial changes.

Notes to the text in the body of the Standard are not mandatory parts of the Standard.

The term ‘normative’ has been used in this Standard to define the application of the appendix to which it applies. A ‘normative’ appendix is an integral part of a Standard.

This Standard does not provide all the necessary conditions for a contract.

CONTENTS

	<i>Page</i>
SECTION 1 SCOPE AND GENERAL	
1.1 SCOPE	6
1.2 APPLICATION	6
1.3 REFERENCED DOCUMENTS	6
1.4 DEFINITIONS	7
SECTION 2 PLUGS	
2.1 TERMINALS AND INTERNAL CONNECTIONS	9
2.2 PLUG PINS	9
2.3 INSULATING MATERIALS	11
2.4 NON-REWIREABLE PLUGS	11
2.5 MEANS OF ENTRY AND CORD ANCHORAGE FOR FLEXIBLE CORD	12
2.6 RADIO INTERFERENCE SUPPRESSION DEVICES	13
2.7 FINGER-GRIP	13
2.8 RATINGS AND DIMENSIONS OF LOW VOLTAGE PLUGS	13
2.9 INTERNAL CONNECTIONS	14
2.10 ARRANGEMENT OF EARTHING CONNECTIONS	14
2.11 FUSES	14
2.12 MARKING	14
2.13 TESTS ON PLUGS	16
SECTION 3 SOCKET-OUTLETS	
3.1 TERMINALS AND INTERNAL CONNECTIONS	39
3.2 PROHIBITED ARRANGEMENTS	39
3.3 SOCKET-OUTLET CONTACTS	39
3.4 INSULATING MATERIALS	41
3.5 RADIO INTERFERENCE SUPPRESSORS	41
3.6 DIMENSIONS	41
3.7 ARRANGEMENT OF EARTHING CONNECTIONS	43
3.8 PREVENTION OF CONTACT WITH LIVE PINS	43
3.9 FUSES	44
3.10 FLOOR SOCKET-OUTLETS	44
3.11 SWITCHED SOCKET-OUTLETS	44
3.12 SHUTTERED SOCKET-OUTLETS	45
3.13 MARKING	45
3.14 TESTS FOR SOCKET-OUTLETS	46
APPENDICES	
A GAUGE FOR THREE-PIN FLAT-PIN PLUGS	59
B GAUGE FOR TWO-PIN FLAT-PIN PLUGS WITH PARALLEL PINS	60
C THREE-PIN TEST PLUG WITH FLAT PINS FOR FULL-INSERTION TEST AND THE FINGER TEST DURING NORMAL INSERTION TEST	61
D THREE-PIN TEST PLUG WITH FLAT PINS FOR ABNORMAL INSERTION TEST	62
E PLUGS AND SOCKET-OUTLETS FOR USE IN EXTRA-LOW VOLTAGE CIRCUITS	63
F GAUGE FOR FLAT AND ROUND PIN PLUGS	64

G	THREE-PIN TEST PLUG WITH FLAT AND ROUND PINS FOR THE FULL-INSERTION TEST AND THE FINGER TEST DURING NORMAL INSERTION TEST	65
H	DIMENSIONS FOR PLUGS AND SOCKET-OUTLETS, IP-RATED, WITH THREADED RETAINING DEVICES	66
I	‘VOID’	67
J	EQUIPMENT WITH INTEGRAL PINS FOR INSERTION INTO SOCKET-OUTLETS	68

FIGURES

2.1	DIMENSIONS OF PLUGS	29
2.2	APPARATUS FOR FLEXING TEST.....	34
2.3	FORM OF PIN	35
2.4	DIMENSIONS OF INSULATION ON INSULATED LIVE PINS.....	35
2.5	PRESSURE TEST APPARATUS FOR INSULATION ON INSULATED PLUG PINS AT HIGH TEMPERATURE	36
2.6	IMPACT TEST APPARATUS FOR INSULATION ON INSULATED PLUG PINS AT LOW TEMPERATURE	37
2.7	ABRASION TEST APPARATUS FOR INSULATION ON INSULATED PIN PLUGS	38
2.8	APPLICATION OF FORCE FOR PIN BENDING TEST	38
3.1	GAUGE FOR DEPTH OF NO-CONTACT TEST.....	54
3.2	SOCKET-OUTLET FACE PROFILE IN ACCORDANCE WITH CLAUSE 3.6.1 ITEM (a).....	55
3.3	SOCKET-OUTLET FACE PROFILE IN ACCORDANCE WITH CLAUSE 3.6.1 ITEM (b)	55
3.4	AREA OF LIMITED PROJECTION	55
3.5	FULLY RECESSED SOCKET-OUTLET	56
3.6	DEVICE FOR CHECKING THE RESISTANCE TO LATERAL STRAIN (THREE-PIN GAUGE)	57
3.7	DEVICE FOR CHECKING THE RESISTANCE TO LATERAL STRAIN (TWO-PIN GAUGE).....	58
A1	GAUGE FOR THREE-PIN 250 V MAX FLAT-PIN PLUGS	59
B1	GAUGE FOR TWO-PIN FLAT-PIN 125 V MAX. PLUGS (WITH PARALLEL PINS).....	60
C1	THREE-PIN TEST PLUG FOR CHECKING THREE-PIN FLAT-PIN 250 V MAX. SOCKET-OUTLETS AGAINST THE STANDARD TEST FINGER IN ACCORDANCE WITH CLAUSES 3.3.4 AND 3.8.1.....	61
D1	THREE-PIN TEST PLUG FOR CHECKING THREE-PIN FLAT-PIN 250 V MAX. SOCKET-OUTLETS AGAINST INCORRECT INSERTION OF PLUGS, IN ACCORDANCE WITH CLAUSE 3.8.2.....	62
E1	DIMENSIONS OF EXTRA-LOW VOLTAGE FLAT-PIN PLUGS.....	63
F1	GAUGE FOR FLAT AND ROUND PIN PLUGS	64
G1	THREE-PIN TEST PLUG WITH FLAT AND ROUND PINS FOR TESTS TO CLAUSES 3.3.4 AND 3.8.1	65
H1	DIMENSIONS FOR IP-RATED PLUGS AND IP-RATED SOCKETS WITH THREADED RETAINING DEVICE	66
J1	ARRANGEMENT FOR DETERMINATION OF PIVOT.....	70

TABLES

2.1	RANGE OF FLEXIBLE CORDS	12
2.2	PLUGS—TESTS TO BE APPLIED AND ORDER OF APPLICATION	17
2.3	TEST VOLTAGES FOR HIGH VOLTAGE TEST	18

		<i>Page</i>
	2.4	LOADS FOR CORD ANCHORAGE TEST..... 19
	3.1	MAXIMUM DIMENSIONS OF PIN ENTRY APERTURES 42
	3.2	SOCKET-OUTLETS—TESTS TO BE APPLIED AND ORDER OF APPLICATION 48
A1	3.3	'NOT APPLICABLE'..... 48
	3.4	SIZE OF CABLES FOR TEST OF TEMPERATURE RISE 50

STANDARDS AUSTRALIA/STANDARDS NEW ZEALAND

Australian/New Zealand Standard
Approval and test specification—Plugs and socket-outlets

SECTION 1 SCOPE AND GENERAL

1.1 SCOPE

This Standard specifies essential safety requirements for plugs and socket-outlets, as defined in Clause 1.4, intended for use at extra-low or low voltages and a rated current not exceeding 32 A for household or similar purposes. (For extra-low voltage plugs and socket-outlets, see Appendix E.)

This Standard does not apply to the following:

- (a) Appliance couplers (see AS/NZS 60320.1).
- (b) Installation couplers (see AS/NZS 3131:1995 or AS/NZS 61535.1).
- (c) Plugs, socket-outlets and couplers for general industrial applications (see AS/NZS 3123).
- (d) Plugs and socket-outlets for moveable appliances (see AS/NZS 3131).

1.2 APPLICATION**1.2.1 General requirements of AS/NZS 3100**

This Standard shall be read in conjunction with AS/NZS 3100 and the appropriate provisions of AS/NZS 3100 shall apply to the construction of a plug or socket-outlet and the insulation and safeguarding of parts which normally carry current.

1.2.2 Specific requirements of this Standard

A plug or socket-outlet shall be considered to comply with this Standard only if it complies with all the appropriate requirements of this Standard and passes the relevant tests specified herein.

NOTES:

- 1 Plugs, socket-outlets and connectors incorporating retaining means of the type specified in AS/NZS 3123, or similar, need not comply with all general dimensional requirements of this Standard, so long as the safe functioning of accessories in a particular system is not impaired. Where appropriate, dimensions relevant to specified pin configurations are applied.
- 2 Requirements for equipment with integral pins for insertion into socket-outlets are provided in Appendix J.

1.3 REFERENCED DOCUMENTS

The following documents are referred to in this Standard.

AS

- | | |
|------------|---|
| 1722 | Pipe threads of Whitworth form |
| 1722.2 | Part 2: Fastening pipe threads |
| 60068 | Environmental testing |
| 60068.2.30 | Part 2.30: Tests—Test DB and guidance: Damp heat, cyclic (12 + 12-hour cycle) |
| 60068.2.32 | Part 2.32: Tests—Test Ed: Free fall |



SAI GLOBAL

This is a free 8 page sample. Access the full version online.

The remainder of this document
is available for purchase online at

www.saiglobal.com/shop

SAI Global also carries a wide range of publications from a wide variety of Standards Publishers:



Click on the logos to search the database online.