

Australian Standard™

**Flanges for pipes, valves and fittings**

This Australian Standard was prepared by Committee ME/1, Pressure Equipment. It was approved on behalf of the Council of Standards Australia on 17 September 1999 and published on 17 January 2000.

---

The following interests are represented on Committee ME/1:

A.C.T. WorkCover  
Australasian Corrosion Association  
Australasian Institute of Engineer Surveyor  
Australian Aluminium Council  
Australian Building Codes Board  
Australian Chamber of Commerce and Industry  
Australian Industry Group  
Australian Institute of Energy  
Australian Institute of Petroleum  
Boiler and Pressure Vessel Manufacturers Association of Australia  
Bureau of Steel Manufacturers of Australia  
Department for Administration and Information Services, S.A.  
Department of Employment Training and Industrial Relations, Qld  
Department of Industries and Business, N.T.  
Department of Infrastructure, Energy and Resources (Tasmania)  
Department of Labour, New Zealand  
Electricity Engineers Association (New Zealand)  
Electricity Supply Association of Australia  
Institute of Materials Engineering Australasia  
Institution of Engineers, Australia  
Institution of Professional Engineers, New Zealand  
National Association of Testing Authorities, Australia  
New Zealand Engineering Federation  
New Zealand Heavy Engineering Research Association  
New Zealand Institute of Welding  
New Zealand Petrochemical Users Group  
Victorian WorkCover Authority  
Welding Technology Institute of Australia  
WorkCover N.S.W.  
WorkSafe Western Australia

---

#### **Keeping Standards up-to-date**

Standards are living documents which reflect progress in science, technology and systems. To maintain their currency, all Standards are periodically reviewed, and new editions are published. Between editions, amendments may be issued. Standards may also be withdrawn. It is important that readers assure themselves they are using a current Standard, which should include any amendments which may have been published since the Standard was purchased.

Detailed information about Standards can be found by visiting the Standards Australia web site at [www.standards.com.au](http://www.standards.com.au) and looking up the relevant Standard in the on-line catalogue.

Alternatively, the printed Catalogue provides information current at 1 January each year, and the monthly magazine, *The Australian Standard*, has a full listing of revisions and amendments published each month.

We also welcome suggestions for the improvement in our Standards, and especially encourage readers to notify us immediately of any apparent inaccuracies or ambiguities. Contact us via email at [mail@standards.com.au](mailto:mail@standards.com.au), or write to the Chief Executive, Standards Australia International Ltd, PO Box 1055, Strathfield, NSW 2135.

---

*This Standard was issued in draft form for comment as DR 98317.*

Australian Standard™

## Flanges for pipes, valves and fittings

Originated in part as AS B52.1—1931  
(being endorsement of BS 10.1—1928 without amendment).  
Previous edition AS 2129—1994.  
Third edition 2000.

### **COPYRIGHT**

© Standards Australia International

All rights are reserved. No part of this work may be reproduced or copied in any form or by any means, electronic or mechanical, including photocopying, without the written permission of the publisher.

Published by Standards Australia International Ltd  
PO Box 1055, Strathfield, NSW 2135, Australia

ISBN 0 7337 3065 5

## PREFACE

This Standard was prepared by the Joint Standards Australia/Standards New Zealand Committee ME/1, Pressure Equipment Standard to supersede AS 2129—1994.

This Standard is the result of a consensus among representatives on the Joint Committee to produce it as an Australian Standard. Consensus means general agreement by all interested parties. Consensus includes an attempt to remove all objections and implies much more than the concept of a simple majority, but not necessarily unanimity. It is consistent with this meaning that a member may be included in the Committee list and yet not be in full agreement with all clauses of this Standard.

This Standard is derived from the British inch series flange Standard BS 10:1962, *Flanges and bolting for pipes, valves and fittings*. BS 10 was made obsolescent in 1970, however, it is still called up in British pressure equipment Standards. A 1992 survey of Australian industry showed that flanges in accordance with AS 2129 were still in great demand. As a result it was determined that AS 2129 should be revised and updated rather than being made obsolescent.

It is anticipated flanges to AS 2129 will remain in use for at least 50 years, particularly for replacement flanges. Consideration should be given to the use of alternative flanges, such as those to AS/NZS 4331, *Metallic flanges* (series), BS 4504, *Circular flanges for pipes valves and fittings, (PN designated)*, ANSI/ASME B16.5, *Pipe flanges and flanged fittings*, and AS 4087, *Metallic flanges for waterworks purposes*.

The main changes in this edition are as follows:

- (a) Incorporation of Amendment No. 1 to the 1994 edition.
- (b) Deletion of Table C which is now covered in AS 4087.
- (c) Updated referenced documents.

Statements expressed in mandatory terms in notes to tables and figures are deemed to be requirements of this Standard.

The term 'normative' has been used in this Standard to define the application of the Appendices. A 'normative' appendix is an integral part of this Standard.

## CONTENTS

	<i>Page</i>
<b>SECTION 1 SCOPE AND GENERAL</b>	
1.1 SCOPE . . . . .	4
1.2 OBJECTIVE . . . . .	4
1.3 APPLICATION . . . . .	4
1.4 REFERENCED DOCUMENTS . . . . .	4
1.5 DEFINITIONS . . . . .	5
1.6 CONFIGURATION . . . . .	5
1.7 LIMITATIONS ON THE USE OF FLANGES . . . . .	6
1.8 NON-STANDARD THICKNESS FLANGES . . . . .	6
1.9 NOMINAL SIZE AND OUTSIDE DIAMETER . . . . .	6
<b>SECTION 2 TEMPERATURE/PRESSURE RATINGS</b>	
2.1 GENERAL . . . . .	7
2.2 INTERPOLATION OF INTERMEDIATE VALUES . . . . .	7
<b>SECTION 3 MATERIALS</b>	
3.1 SELECTION OF MATERIALS . . . . .	11
3.2 MATERIALS FOR FLANGES . . . . .	11
3.3 LIMITATIONS ON THE USE OF PARTICULAR MATERIALS . . . . .	11
3.4 ALTERNATIVE MATERIAL SPECIFICATIONS . . . . .	11
<b>SECTION 4 MANUFACTURING REQUIREMENTS AND DIMENSIONS</b>	
4.1 MANUFACTURING METHODS . . . . .	16
4.2 FLANGE DIMENSIONS . . . . .	16
4.3 FLANGE FACES . . . . .	16
4.4 PREPARATION FOR ATTACHMENT OF FLANGES . . . . .	17
4.5 BOLT HOLES . . . . .	19
4.6 SPOT-FACING AND BACK-FACING OF FLANGES . . . . .	19
<b>SECTION 5 MARKING AND MATERIAL CERTIFICATES</b>	
5.1 MARKING . . . . .	20
5.2 MATERIAL CERTIFICATES . . . . .	20
<b>SECTION 6 DIMENSIONS OF FLANGES . . . . .</b>	
<b>APPENDICES</b>	
A SELECTION OF BOLTING . . . . .	42
B ASSEMBLY OF FLANGED JOINTS . . . . .	46
C LIST OF REFERENCED DOCUMENTS . . . . .	48
D NOMINAL SIZE AND OUTSIDE DIAMETER OF PIPES . . . . .	50

STANDARDS AUSTRALIA

---

**Australian Standard**

**Flanges for pipes, valves and fittings**

---

SECTION 1 SCOPE AND GENERAL

**1.1 SCOPE** This Standard specifies requirements for circular flanges of nominal sizes DN 15 to DN 3000, inclusive, and their bolting for use on pipes, valves, fittings and other pressure-retaining equipment containing fluid at pressures up to 19 300 kPa and at temperatures in the range  $-200^{\circ}\text{C}$  to  $+525^{\circ}\text{C}$ .

These flanges are manufactured from carbon steel, carbon-manganese steel, alloy steel, stainless steel, grey iron, malleable iron, ductile cast iron\*, or copper alloy.

This Standard is applicable to flanges for water, steam, compressed air, chemical and petroleum plants, hydraulic piping and where other Standards require compliance with this Standard.

This Standard is not intended to apply to flanges for water or waste water covered by AS 4087.

Flanges R, S and T are designated obsolescent and are not recommended for use in new equipment. They are retained to provide for the servicing of existing equipment that is expected to have a long working life. For new equipment, flanges R, S and T should be replaced with flanges to AS/NZS 4331, Parts 1 to 3, ANSI B16.5 or BS 4504 (series).

The history of AS 2129 flanges (and its predecessor BS 10) and the future use of these flanges is given in the Preface.

**1.2 OBJECTIVE** The objective of this Standard is to provide guidance to manufacturers and users on the materials, manufacturing requirements and dimensions of circular flanges for use with existing or new equipment.

### 1.3 APPLICATION

**1.3.1 Flanges** Flanges shall comply with the relevant requirements of this Section and with the specific requirements of the following Sections, as appropriate:

Section 2—Temperature/Pressure Ratings.

Section 3—Materials.

Section 4—Manufacturing Requirements and Dimensions.

Section 5—Marking and Material Certificates.

Section 6—Dimensions of Flanges.

**1.3.2 Bolting** Bolting for flanges shall comply with the requirements of Appendix A.

**1.3.3 Assembly** The assembly of flanged joints shall comply with the requirements of Appendix B.

**1.4 REFERENCED DOCUMENTS** The documents referred to in this Standard are listed, with titles, in Appendix C.

---

\* Alternative names for ductile cast iron are 'spheroidal graphite iron', 'SG iron', and 'nodular graphite iron'.



SAI GLOBAL

This is a free 6 page sample. Access the full version online.

The remainder of this document  
is available for purchase online at

[www.saiglobal.com/shop](http://www.saiglobal.com/shop)

SAI Global also carries a wide range of publications from a wide variety of Standards Publishers:



Click on the logos to search the database online.