

AS/NZS 4576:1995

Australian/New Zealand Standard

Guidelines for scaffolding

AS/NZS 4576:1995

This Joint Australian/New Zealand Standard was prepared by Joint Technical Committee BD/36, Scaffolding. It was approved on behalf of the Council of Standards Australia on 20 March 1995 and on behalf of the Council of Standards New Zealand on 27 March 1995. It was published on 15 June 1995.

The following interests are represented on Committee BD/36:

A.C.T. WorkCover

Aluminium Development Council, Australia

Australian Chamber of Commerce and Industry

Australian Institute of Building Surveyors

Department of Employment, Vocational Education, Training and Industrial Relations, Qld

Department of Labour, New Zealand

Department of Occupational Health, Safety and Welfare, W.A.

Health and Safety Organisation, Vic.

Master Builders Australia

Metal Trades Industry Association of Australia

New Zealand Contractors Federation

New Zealand Engineering Federation

Tasmania Development and Resources

Work Health Authority, N.T.

WorkCover Authority of N.S.W.

Review of Standards. To keep abreast of progress in industry, Joint Australian/New Zealand Standards are subject to periodic review and are kept up to date by the issue of amendments or new editions as necessary. It is important therefore that Standards users ensure that they are in possession of the latest edition, and any amendments thereto.

Full details of all Joint Standards and related publications will be found in the Standards Australia and Standards New Zealand Catalogue of Publications; this information is supplemented each month by the magazines 'The Australian Standard' and 'Standards New Zealand', which subscribing members receive, and which give details of new publications, new editions and amendments, and of withdrawn Standards.

Suggestions for improvements to Joint Standards, addressed to the head office of either Standards Australia or Standards New Zealand, are welcomed. Notification of any inaccuracy or ambiguity found in a Joint Australian/New Zealand Standard should be made without delay in order that the matter may be investigated and appropriate action taken.

AS/NZS 4576:1995

Australian/New Zealand Standard

Guidelines for scaffolding

PUBLISHED JOINTLY BY:

STANDARDS AUSTRALIA
1 The Crescent,
Homebush NSW 2140 Australia

STANDARDS NEW ZEALAND
Level 10, Standards House,
155 The Terrace,
Wellington 6001 New Zealand

ISBN 0 7262 9761 5

PREFACE

This Standard was prepared by the Joint Standards Australia/Standards New Zealand Committee BD/36 on Scaffolding.

Every attempt has been made to ensure that the information in this Standard is compatible with Worksafe Australia's publications *National Standard for Plant* and *National Occupational Health and Safety Certification Standard for Users and Operators of Industrial Equipment*, and with *Health and Safety in Employment Act 1992* in New Zealand.

Persons using this Standard are advised to familiarize themselves with the specific statutory requirements relating to scaffolding and the certification of scaffolders in New Zealand and in the States and Territories of Australia.

The terms 'normative' and 'informative' have been used in this Standard to define the application of the appendix to which they apply. A 'normative' appendix is an integral part of a Standard, whereas an 'informative' appendix is only for information and guidance.

© Copyright — STANDARDS AUSTRALIA/STANDARDS NEW ZEALAND

Users of Standards are reminded that copyright subsists in all Standards Australia and Standards New Zealand publications and software. Except where the Copyright Act allows and except where provided for below no publications or software produced by Standards Australia or Standards New Zealand may be reproduced, stored in a retrieval system in any form or transmitted by any means without prior permission in writing from Standards Australia or Standards New Zealand. Permission may be conditional on an appropriate royalty payment. Australian requests for permission and information on commercial software royalties should be directed to the head office of Standards Australia. New Zealand requests should be directed to Standards New Zealand.

Up to 10 percent of the technical content pages of a Standard may be copied for use exclusively in-house by purchasers of the Standard without payment of a royalty or advice to Standards Australia or Standards New Zealand.

Inclusion of copyright material in computer software programs is also permitted without royalty payment provided such programs are used exclusively in-house by the creators of the programs.

Care should be taken to ensure that material used is from the current edition of the Standard and that it is updated whenever the Standard is amended or revised. The number and date of the Standard should therefore be clearly identified.

The use of material in print form or in computer software programs to be used commercially, with or without payment, or in commercial contracts is subject to the payment of a royalty. This policy may be varied by Standards Australia or Standards New Zealand at any time.

CONTENTS

	<i>Page</i>
SECTION 1 SCOPE AND GENERAL	
1.1 SCOPE	8
1.2 INCLUSIONS	8
1.3 EXCLUSIONS	8
1.4 REFERENCED DOCUMENTS	8
1.5 DEFINITIONS	8
 SECTION 2 TRAINING AND COMPETENCY	
2.1 GENERAL	9
2.2 FURTHER INFORMATION FROM REGULATORY AUTHORITIES	9
2.3 SUPERVISION OF TRAINEES	9
2.4 TRAINING PROGRAMS	10
2.5 GAINING EXPERIENCE	10
2.6 RECORD OF TRAINING	10
2.7 AUSTRALIAN CERTIFICATES OF COMPETENCY	11
2.8 NEW ZEALAND CERTIFICATES OF COMPETENCY	11
 SECTION 3 TOOLS AND EQUIPMENT	
3.1 INTRODUCTION	12
3.2 SCAFFOLD SPANNERS	12
3.3 PODGER HAMMERS	12
3.4 ADJUSTABLE WRENCHES	13
3.5 SPIRIT LEVELS	13
3.6 RULES AND TAPE MEASURES	13
3.7 SCAFFOLD BELTS	13
3.8 INDUSTRIAL SAFETY HELMETS	13
3.9 GLOVES	13
3.10 FOOTWEAR	14
3.11 FIBRE ROPE	14
3.12 WEBBING SLINGS	15
 SECTION 4 SITE FOR ERECTION	
4.1 INTRODUCTION	16
4.2 PUBLIC PLACES	16
4.3 WORK AREAS FOR SCAFFOLDERS	16
 SECTION 5 HAZARDS	
5.1 OCCUPATIONAL HEALTH AND SAFETY	17
5.2 EXPERT ADVICE	17
5.3 IDENTIFICATION OF HAZARDS	17
5.4 PROXIMITY TO POWERLINES	18
5.5 PROXIMITY TO HAZARDOUS PLANT	19
5.6 RISK ASSESSMENT	20
5.7 RISK CONTROL	20

	<i>Page</i>
SECTION 6 SELECTION	
6.1 OCCUPATIONAL HEALTH AND SAFETY	21
6.2 CRITERIA	21
6.3 SUPPORTING STRUCTURE	21
6.4 FITNESS FOR PURPOSE	22
SECTION 7 MATERIALS	
7.1 COMPLIANCE WITH STANDARDS	23
7.2 INSPECTION OF USED EQUIPMENT	24
SECTION 8 GENERAL DESIGN	
8.1 INTRODUCTION	27
8.2 GENERAL	27
8.3 FOUNDATIONS	27
8.4 STABILITY	28
8.5 TYING	28
8.6 RIGIDITY	31
8.7 WORKING PLATFORMS	31
8.8 EDGE PROTECTION	33
8.9 ACCESS AND EGRESS	34
8.10 CONTAINMENT SHEETING	38
8.11 STEEL WIRE ROPE (SWR)	41
8.12 CHAIN	44
SECTION 9 GENERAL CONSTRUCTION	
9.1 SELECTION OF APPROPRIATE METHOD	45
9.2 ORGANIZING THE WORK SEQUENCE	45
9.3 ADVERSE WEATHER	45
9.4 PLATFORM	45
9.5 GUARDRAILS	45
9.6 ACCESS	45
9.7 WORKING ALOFT	46
9.8 SAFETY HARNESS	46
9.9 EQUIPMENT HANDLING	46
9.10 HANDBALLING	46
9.11 HANDLINES	46
9.12 TOPPING UP STANDARDS	47
9.13 USE OF GIN WHEELS	47
9.14 CANTILEVER BUILDERS' HOISTS	48
SECTION 10 ADDITIONAL REQUIREMENTS FOR SPECIFIC TYPES OF SCAFFOLD	
10.1 TRESTLE SCAFFOLDS	50
10.2 BRACKET SCAFFOLDS	51
10.3 PREFABRICATED SCAFFOLDS	55
10.4 MOBILE SCAFFOLDS	61
10.5 TUBE-AND-COUPLER SCAFFOLDS	63
10.6 SPUR SCAFFOLDS	64
10.7 CANTILEVERED SCAFFOLDS	64
10.8 MAST-CLIMBING WORK PLATFORMS	66
10.9 HUNG SCAFFOLDS	67

	<i>Page</i>
SECTION 11 ADDITIONAL REQUIREMENTS FOR SUSPENDED SCAFFOLDS	
11.1 EQUIPMENT	71
11.2 ERECTION, ALTERING AND DISMANTLING	71
11.3 ACCESS	72
11.4 SUPPORTING STRUCTURES	72
11.5 SUSPENSION RIGS	73
11.6 OVERHEAD FIXINGS	78
11.7 TRAVERSING EQUIPMENT	78
11.8 ROPE TENSION	79
11.9 ELECTRICAL EQUIPMENT AND CONTROLS	79
11.10 PNEUMATIC EQUIPMENT	80
11.11 PROTECTIVE DEVICES	80
11.12 LOAD-LIMITING DEVICES	80
11.13 CRADLES	80
11.14 MULTI-TIERED CRADLES	81
11.15 TRAINING	81
11.16 NOTIFICATION OF USE	81
11.17 SAFETY EQUIPMENT	82
11.18 OPERATION	82
11.19 WORK PRACTICES	82
11.20 WHILE UNATTENDED	83
SECTION 12 GENERAL USE	
12.1 SPECIFIC TYPES OF SCAFFOLD	84
12.2 BEFORE USE	84
12.3 HANDOVER CERTIFICATE	84
12.4 DURING USE	85
12.5 AFTER USE	85
SECTION 13 INSPECTION, TESTING AND MAINTENANCE	
13.1 RECORD KEEPING	86
13.2 FREQUENCY OF INSPECTIONS	86
13.3 AUSTRALIAN REQUIREMENTS	86
13.4 NEW ZEALAND REQUIREMENTS	87
13.5 INSPECTIONS	87
13.6 REPAIRS TO ERECTED SCAFFOLD	88
13.7 COUPLERS AND ACCESSORIES	88
13.8 SCAFFOLD TUBES	88
13.9 SCAFFOLD PLANKS	88
13.10 MODULAR SCAFFOLDING	89
13.11 ACCESS LADDERS	89
13.12 SCAFFOLDING HOISTS	91
13.13 PROTECTIVE DEVICES	92
13.14 LOAD-LIMITING DEVICES	93
13.15 WIRE ROPES FOR SCAFFOLDING HOISTS	93

APPENDICES

A	REFERENCED DOCUMENTS	95
B	GLOSSARY OF TERMS	98
C	SAMPLE QUESTIONS FOR AUSTRALIAN EXAMINATIONS	113
D	COMMON BENDS AND HITCHES FOR FIBRE ROPE	116
E	GENERAL LOADING INFORMATION	117
F	INDUSTRIAL SAFETY NETS	122
G	INSPECTION OF BELTS AND HARNESSSES—CHECK LIST	130
H	INSPECTION OF SELF-LOCKING ANCHORAGES—CHECK LIST	131
I	CANTILEVER BUILDERS' HOISTS	132
J	INSPECTION CHECKLIST	134
K	RECORD AND INSPECTION SHEETS	140
L	AUSTRALIAN TEST FOR TIMBER SCAFFOLD PLANKS	143

FIGURES

3.1	EXAMPLES OF COMMONLY USED SCAFFOLDING TOOLS	12
3.7	A TYPICAL SCAFFOLDER'S BELT	13
3.11	COMMON WHIPPING	14
4.3	TYPICAL EXAMPLE OF WELL-STACKED SCAFFOLDING EQUIPMENT	16
5.4.2	CLEARANCE TO ELECTRICAL CONDUCTOR WIRES	18
8.3(A)	UNSAFE FOUNDATION	29
8.3(B)	ADEQUATE FOUNDATION	29
8.3(C)	FOUNDATIONS ON SLOPING GROUND	30
8.3(D)	UNDERMINING OF SUPPORTING FOUNDATION	31
8.5	SOME TIE ASSEMBLIES	32
8.6	TYPICAL TRANSVERSE BRACING FOR A SCAFFOLD	33
8.7	UNSAFE WORKING PLATFORMS	35
8.8(A)	TYPICAL BRICKGUARDS	37
8.8(B)	TYPICAL CANTILEVERED CATCH PLATFORM	37
8.9(A)	TYPICAL MEANS OF ACCESS	39
8.9(B)	UNSUITABLE FORMS OF LADDER ACCESS	40
8.10(A)	TYPICAL LAP DETAILS OF CONTAINMENT SHEETING	42
8.10(B)	TYPICAL FIXING ARRANGEMENT OF CONTAINMENT SHEETING	42
8.10(C)	TYPICAL POSITIONING OF EYELETS TO SUPPORT CONTAINMENT SHEETING	43
8.11(A)	A TYPICAL CONSTRUCTION OF STEEL-WIRE ROPE	44
8.11(B)	MEASURING THE DIAMETER OF STEEL-WIRE ROPE	44
9.10	HANDBALLING	47
9.11	USE OF A HANDLINE	48
9.13	GIN WHEELS	49
10.1(A)	TYPICAL SPLITHEAD AND TRESTLE SCAFFOLDS	52
10.1(B)	WRONG USE OF TRESTLE SCAFFOLDS	53
10.2.5	TYPICAL LADDER-BRACKET SCAFFOLD	54
10.3.5	A TYPICAL ACCESS OPENING IN A MODULAR SCAFFOLD	56
10.3.6(A)	TYPICAL MODULAR SCAFFOLDING	58
10.3.6(B)	SOME COMMON LEDGER FIXING DEVICES FOR MODULAR SCAFFOLDS	58

	<i>Page</i>
10.3.6(C) POSITIONING LEDGERS IN A MODULAR SCAFFOLD	59
10.3.7 TYPICAL FRAME SCAFFOLDING	60
10.3.8 TYPICAL TOWER-FRAME SCAFFOLDING	62
10.4 TYPICAL MOBILE SCAFFOLDS	63
10.5 TYPICAL TYPES OF TUBE-AND-COUPLER SCAFFOLD	65
10.7 TYPICAL CANTILEVERED SCAFFOLD	66
10.8 TYPICAL SINGLE-MAST-CLIMBING WORK PLATFORM	67
10.9(A) EXAMPLES OF HUNG SCAFFOLDS	69
10.9(B) TYPICAL DETAILS OF HUNG SCAFFOLDS USING CHAIN AND ROPE	70
11.1(A) A TYPICAL DOUBLE-ROPE SUSPENDED SCAFFOLD	72
11.1(B) A TYPICAL TRAVERSING SWING-STAGE SUSPENDED SCAFFOLD	73
11.5.1 TYPICAL SUSPENSION RIGS	74
11.5.6 TYPICAL COUNTERWEIGHTS FOR COUNTERWEIGHTED NEEDLES	77
13.8 COMMON DEFECTS IN SCAFFOLD TUBES	89
13.9(A) FAULTS IN TIMBER SCAFFOLD PLANKS	90
13.9(B) FAULTS IN METAL SCAFFOLD PLANKS	91
13.15 COMMON DEFECTS IN SCAFFOLDING HOIST WIRE ROPES	94
B1 TYPICAL COUPLERS AND ACCESSORIES	109
B2 TYPICAL ARTICULATED CRADLE	111
B3 TYPICAL INDIVIDUAL CRADLE	111
B4 MAIN DIMENSIONS OF A SCAFFOLD	112
B5 EXAMPLE OF AN INDEPENDENT SCAFFOLD	112
D1 COMMON BENDS AND HITCHES FOR FIBRE ROPE	116
F3(A) TYPICAL ARRANGEMENT OF OUTRIGGED OR PERIMETER NETS	125
F3(B) SITING OF OUTRIGGED NETS	128
F3(C) ATTACHMENT OF SAFETY NET USING A TIE CORD	129
I1 CANTILEVER BUILDERS' HOIST	133
L1 SIMPLY SUPPORTED PLANK FOR JUMP TEST	143
L2 CANTILEVERED PLANK FOR JUMP TEST	144

STANDARDS AUSTRALIA/STANDARDS NEW ZEALAND

Australian/New Zealand Standard**Guidelines for scaffolding**

SECTION 1 SCOPE AND GENERAL

1.1 SCOPE

This Standard gives practical guidance for the training and certification of scaffolders, the preparation of sites for scaffolding, and the safe selection, supply, erection, alteration, dismantling, maintenance, inspection and use of scaffolding and scaffolding equipment.

1.2 INCLUSIONS

This Standard gives guidance for the general use of scaffolding, including:

- Portable ladders used as access to platforms.
- Portable trestle ladders supporting scaffold planks.
- Ladder bracket scaffolds.
- Temporary stairways, landings, ramps and other access ways.
- Temporary catch platforms including covered ways, safety nets and footpath hoardings (gantries) comprised of scaffolding equipment.
- Temporarily installed working platforms, including swing stages and boatswain's chairs.
- Temporary loading platforms and cantilevered crane loading bays.
- Temporary seating stands, stages, lighting towers and camera towers for concerts, sporting events, and so on, substantially comprised of scaffolding equipment.
- Mast climbing work platforms.

1.3 EXCLUSIONS

This Standard does not give guidance for:

- Temporarily installed guardrails.
- Portable ladders not used in connection with scaffolding.
- Permanently installed walkways, stairways, ladders, catwalks and the like.
- Building maintenance units.
- Crane boxes, scissor hoists, boom-type elevating work platforms (i.e. cherry pickers), lifts, and (men and materials) hoists.
- Falsework, shoring, back-propping and any other frame-work for the support of floors, walls, roofs and structural members of buildings, structures, ships, boats or mines.

1.4 REFERENCED DOCUMENTS

The documents in Appendix A are referred to in this Standard.

1.5 DEFINITIONS

For the purpose of this Standard and the scaffolding industry, the definitions given in Appendix B apply.



SAI GLOBAL

This is a free 10 page sample. Access the full version online.

The remainder of this document
is available for purchase online at

www.saiglobal.com/shop

SAI Global also carries a wide range of publications from a wide variety of Standards Publishers:



Click on the logos to search the database online.