

Australian Standard[®]

**The removal and disposal of
underground petroleum storage tanks**



This Australian Standard® was prepared by Committee ME-017, Flammable and Combustible Liquids. It was approved on behalf of the Council of Standards Australia on 23 January 2008.

This Standard was published on 19 February 2008.

The following are represented on Committee ME-017:

- Agsafe
 - Australasian Fire Authorities Council
 - Australian Chamber of Commerce and Industry
 - Australian Industry Group
 - Australian Institute of Petroleum
 - Australian Paint Manufacturers Federation
 - Department of the Premier and Cabinet, SA
 - Department of Consumer and Employment Protection, WA
 - Department of Defence
 - Department of Emergency Services, Qld
 - Department of Justice, Tas.
 - Fire Protection Association of Australia
 - Insurance Council of Australia
 - Plastics and Chemicals Industries Association
 - Victorian WorkCover Authority
-

This Standard was issued in draft form for comment as DR 07413.

Standards Australia wishes to acknowledge the participation of the expert individuals that contributed to the development of this Standard through their representation on the Committee and through the public comment period.

Keeping Standards up-to-date

Australian Standards® are living documents that reflect progress in science, technology and systems. To maintain their currency, all Standards are periodically reviewed, and new editions are published. Between editions, amendments may be issued.

Standards may also be withdrawn. It is important that readers assure themselves they are using a current Standard, which should include any amendments that may have been published since the Standard was published.

Detailed information about Australian Standards, drafts, amendments and new projects can be found by visiting www.standards.org.au

Standards Australia welcomes suggestions for improvements, and encourages readers to notify us immediately of any apparent inaccuracies or ambiguities. Contact us via email at mail@standards.org.au, or write to Standards Australia, GPO Box 476, Sydney, NSW 2001.

Australian Standard[®]

**The removal and disposal of
underground petroleum storage tanks**

First published as AS 4976—2008.

COPYRIGHT

© Standards Australia

All rights are reserved. No part of this work may be reproduced or copied in any form or by any means, electronic or mechanical, including photocopying, without the written permission of the publisher.

Published by Standards Australia GPO Box 476, Sydney, NSW 2001, Australia

ISBN 0 7337 8554 9

PREFACE

This Standard was prepared by Standards Australia Committee ME-017, Flammable and Combustible Liquids, to provide requirements and recommendations for the removal and disposal of underground petroleum storage tanks. It is based on the Australian Institute of Petroleum (AIP) CP 22—1994, *Code of Practice—The removal and disposal of underground petroleum storage tanks*, which has been withdrawn by AIP.

The purpose of this Standard is to set out procedures for dealing with underground storage tanks that have held flammable or combustible liquids and are no longer required for this purpose. Such tanks are commonly found at service stations, but the recommendations are equally applicable to underground tanks used for the same purpose at other locations.

This Standard is not intended to replace statutory regulations which take precedence over the requirements of this Standard. The relevant regulatory authority having jurisdiction may determine the extent of application of this Standard.

Individual companies or tank owners may have additional or special requirements that exceed or vary the requirements of this Standard. In such situations, such companies and owners need to be consulted.

CONTENTS

	<i>Page</i>
FOREWORD.....	5
SECTION 1 SCOPE AND GENERAL	
1.1 SCOPE	6
1.2 APPLICATION	6
1.3 REFERENCED DOCUMENTS	6
1.4 DEFINITIONS	6
SECTION 2 GENERAL REQUIREMENTS	
2.1 SCOPE OF SECTION	8
2.2 AWARENESS OF HAZARDS.....	8
2.3 FLAMMABILITY	8
2.4 TOXICITY	9
2.5 ENTRY INTO CONFINED SPACES AND EXCAVATIONS.....	9
2.6 ENVIRONMENTAL PROTECTION.....	9
2.7 INSURANCE	9
SECTION 3 TANKS TEMPORARILY OUT-OF-SERVICE	
3.1 SCOPE OF SECTION	10
3.2 OUT-OF-SERVICE PERIOD.....	10
3.3 PROCEDURE FOR TAKING TANKS TEMPORARILY OUT OF SERVICE.....	10
3.4 REGULATIONS AND RECORDS	11
SECTION 4 ABANDONMENT OF TANKS IN SITU	
4.1 SCOPE OF SECTION	12
4.2 GENERAL	12
4.3 PROCEDURE	12
4.4 REGULATIONS AND RECORDS	13
SECTION 5 REMOVAL OF TANKS FOR DISPOSAL OFF-SITE	
5.1 SCOPE OF SECTION	14
5.2 GENERAL	14
5.3 PROCEDURES	14
5.4 TRANSPORT OF TANKS	15
5.5 REGULATIONS AND RECORDS	16
SECTION 6 STORAGE OF USED TANKS	
6.1 SCOPE OF SECTION	17
6.2 GENERAL	17
6.3 STORAGE CONDITIONS	17
6.4 RECORDS.....	17
SECTION 7 TAKING OUT-OF-SERVICE AND CLOSURE OF UPS SYSTEMS	
7.1 SCOPE	18
7.2 GENERAL REQUIREMENTS	18
7.3 UPSS TANKS TEMPORARILY OUT-OF-SERVICE	18
7.4 REMOVAL AND ABANDONMENT IN SITU	18

	<i>Page</i>
SECTION 8 DISPOSAL OF USED TANKS AND TANK MATERIAL	
8.1 SCOPE OF SECTION	19
8.2 GENERAL	19
8.3 PROCEDURE	19
8.4 RECORDS.....	20
APPENDICES	
A REFERENCED DOCUMENTS	21
B PURGING OF UNDERGROUND TANKS IN SITU	22
C EXAMPLE OF INDEMNITY DOCUMENT	25

FOREWORD

Underground tanks that have been used for the storage of petroleum products or other flammable or combustible liquids need to be dealt with in an appropriate manner when they are no longer required or suitable for such use.

Strict procedures are necessary to avoid the potential safety and environmental hazards associated with the disposal of used tanks and tank material, and with the future use of the site.

STANDARDS AUSTRALIA

Australian Standard**The removal and disposal of underground petroleum storage tanks**

SECTION 1 SCOPE AND GENERAL

1.1 SCOPE

This Standard sets out procedures for the temporary decommissioning of tanks *in situ* and the removal, transport and off-site disposal of underground tanks that have contained flammable or combustible liquids. It also describes procedures for the abandonment of tanks *in situ* where removal is not feasible.

1.2 APPLICATION

This Standard mainly applies to service stations. However the procedures set out in this Standard are also applicable to underground storage systems in other oil industry premises and similar systems that have stored flammable or combustible liquids in other industrial situations.

The relevant regulatory authority may determine the extent of application of this Standard.

1.3 REFERENCED DOCUMENTS

A list of documents referred to in this Standard is given in Appendix A.

1.4 DEFINITIONS

For the purpose of this Standard, the definitions below apply.

1.4.1 Cold cutting

Methods of cutting metal that do not involve a form of hot work, as defined in AS 1674.1, or equipment not approved for use in a hazardous area.

1.4.2 Contractor

The person or company charged with the responsibility of carrying out the actual work.

1.4.3 Electrically bonded

A method of controlling hazardous static electric discharges by having all conducting parts of a product transfer system electrically earthed and having a resistance not exceeding 1 megaohm.

NOTE: Detailed recommendations for control of static electricity are given in AS/NZS 1020.

1.4.4 Flammable and combustible liquids

Liquids as defined in AS 1940.

1.4.5 Gas-free

The condition of a vessel when it has been subject to a procedure such as described in AS 1674.1 and when the vapour space has a flammable gas concentration of less than 5% of the lower explosive limit (LEL) as measured with a calibrated flammable gas detector complying with the relevant part of AS/NZS 61779.

NOTE: A gas-free condition may only last for a limited time and re-testing at regular intervals is essential, especially after any change in conditions which may affect the vapour concentration.



The remainder of this document
is available for purchase online at

➤ www.saiglobal.com/shop ◀

SAI Global also carries a wide range of publications from a wide variety of Standards Publishers:



Click on the logos to search the database online.